

Selected Model and Options

Vehicle: [Fleet] 2025 Chevrolet Silverado 3500HD (CK30903) 4WD Reg Cab 142" Work Truck (

Complete)

MODEL MSRP MSRP CODE MODEL 2025 Chevrolet Silverado 3500HD 4WD Reg Cab 142" Work Truck CK30903 **COLORS** DESCRIPTION CODE (Preferably Sterling Gray Metalliz) Summit White GAZ **BODY CODE** CODE DESCRIPTION FRONT REAR MSRP MSRP WEIGHT WEIGHT Durabed, pickup bed (STD) 0.00 lbs 0.00 lbs E63 **REAR WHEEL CONFIGURATION FRONT** REAR MSRP MSRP CODE DESCRIPTION WEIGHT WEIGHT Dual Rear Wheels includes LED hip marker lights 0.00 lbs 0.00 lbs DZW (Requires long bed model and (G9Y) 14,000 lbs. (6350 kg) GVWR.) *Upon selection of this option the base price will change* **EMISSIONS** CODE DESCRIPTION FRONT REAR **MSRP** MSRP WEIGHT WEIGHT 0.00 lbs 0.00 lbs FE9 Emissions, Federal requirements **ENGINE** FRONT REAR MSRP MSRP DESCRIPTION CODE WEIGHT WEIGHT 0.00 lbs Engine, Duramax 6.6L Turbo-Diesel V8, B20-Diesel 0.00 lbs L5P compatible (470 hp [350.5 kW] @ 2800 rpm, 975 lb-ft of torque [1322 Nm] @ 1600 rpm) (Regular Cab model requires (PCV) WT Convenience Package or (ZLQ) WT

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 25525. Data Updated: May 22, 2025 6:44:00 PM PDT.

Fleet Convenience Package.)



TRANSMISSION					
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	MSRP
мдм	Transmission, Allison 10-speed automatic (Included and only available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine. Not available with (PTO) Power Take-Off.)	0.00 lbs	0.00 lbs *	Inc.	lnc. Š
GVWR					
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	MSRP
G9Y	GVWR, 14,000 lbs. (6350 kg) with dual rear wheels (Included and only available with dual rear wheels and long bed model.)	0.00 lbs	0.00 lbs	Inc.	Inc.
AXLE				* m -*	* " "
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	MSRP
GU6	Rear axle, 3.42 ratio (Included and only available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)	0.00 lbs	0.00 lbs	Inc.	Inc.
PREFERRED EQU	JIPMENT GROUP				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	MSRP
1WT	Work Truck Preferred Equipment Group includes standard equipment	0.00 lbs	0.00 lbs		
WHEELS				100 0 E E	e.
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	MSRP
Q21	Wheels, 18" (45.7 cm) Polished forged aluminum (Available on dual rear wheels only. Requires (QHY) LT235/80R18 blackwall all-terrain tires.)	0.00 lbs	0.00 lbs	i	
TIRES					
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	MSRP
QHY	Tires, LT235/80R18 all-terrain, blackwall (Available on dual rear wheels only. Requires (Q21) 18" polished forged aluminum wheels.)	0.00 lbs	0.00 lbs		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 25525. Data Updated: May 22, 2025 6:44:00 PM PDT



SPA	ARE TIRE					
	CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	MSRP
	ZAE	Tire, spare LT235/80R18 blackwall all-terrain (Available on dual rear wheels only. Requires (QHY) LT235/80R18 blackwall all-terrain tires.)	0.00 lbs	0.00 lbs		
PAI	NT					
	CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	MSRP
	GAZ	Summit White	0.00 lbs	0.00 lbs		
SEA	AT TYPE					
	CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	MSRP
	AZ3	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)	0.00 lbs	0.00 lbs		
SEA	AT TRIM			*		
	CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	MSRP
	нои	Jet Black, Cloth seat trim (On Work Truck requires (PCV) WT Convenience Package or (ZLQ) WT Fleet Convenience Package and (Kl4) 120-volt power outlet. Only available with Fleet or Government order on Work Truck.)	0.00 lbs	0.00 lbs		
RAI	010	and the second section of the second	on a first company company absolute a china to the	er in de transfer de la fait de l	especialistic de la control de	aktion, promoti reason pur atakasin 77.
	CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	MSRP
	IOR	Audio system, Chevrolet Infotainment 3 system, 7" diagonal HD color touchscreen, AM/FM stereo Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)	0.00 lbs	0.00 lbs		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



ADDITIONAL EQUIPMENT - PACKAGE

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	MSRP
PCV	WT Convenience Package includes (QT5) EZ Lift power lock and release tailgate, (AKO) tinted windows and (C49) rear-window defogger (Required on Regular Cab models with (L5P) Duramax 6.6L Turbo-Diesel V8 engine. Requires (DWI) trailer mirrors or (DLN) mirrors. Not available with (KSG) Adaptive Cruise Control.)	0.00 lbs	0.00 lbs		
VYU	Snow Plow Prep/Camper Package includes (KW5) 220-amp alternator, includes increased front GAWR on Heavy Duty models, (NZZ) skid plates (transfer case and oil pan), pass through dash grommet hole and roof emergency light provisions. Contact GM Upfitter Integration at www.gmupfitter.com for plow installation details and assistance. Note: if ordered for Camper usage, recommend ordering (UY2) Trailering wiring provisions (Requires 4WD model. Upgradeable to (KHF) Dual alternators (220-amp primary, 170-amp auxiliary). Included with (ANQ) Alaskan Snow Plow Special Edition. Not available with (F60) Heavy Duty Front Spring/Camper Package.)	0.00 lbs	0.00 lbs		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 25525. Data Updated: May 22, 2025 6:44:00 PM PDT.



ADDITIONAL EQUIPMENT - MECHANICAL

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	MSRP
	Battery, heavy-duty dual 730 cold-cranking amps/70 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)	0.00 lbs	0.00 lbs	Inc.	Inc.
	Capped Fuel Fill (Included and only available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine or (ZW9) pickup bed delete.)	0.00 lbs	0.00 lbs	Inc.	Inc.
K05	Engine block heater (Included with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)	0.00 lbs	0.00 lbs	Inc.	Inc.
K40	Exhaust brake (Included and only available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)	0.00 lbs	0.00 lbs	Inc.	Inc.
KW5	Alternator, 220 amps (Included with (L5P) Duramax 6.6L Turbo-Diesel V8 engine or (VYU) Snow Plow Prep/Camper Package. Free flow on (L8T) 6.6L V8 gas engine.)	0.00 lbs	0.00 lbs	Inc.	Inc.
NZZ	Skid Plates protect the oil pan, front axle and transfer case (Included with (Z71) Z71 Off-Road Package or (VYU) Snow Plow Prep/Camper Package.)	0.00 lbs	0.00 lbs	Inc.	Inc.
UY2	Trailering wiring provisions for trailering, 5th wheel and gooseneck trailer, includes additional 7-way wiring harness located at the rear of the pickup bed attached to the rear frame cross member (Not available with (Z6A) Gooseneck / 5th Wheel Prep Package or (ZW9) pickup bed delete.)	0.00 lbs	0.00 lbs		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



ADDITIONAL EQUIPMENT - EXTERIOR

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	MSRP
AKO	Glass, deep-tinted (Included with (PCV) WT Convenience Package.)	0.00 lbs	0.00 lbs	Inc.	Inc.
BHP	Winter Grille Cover (Included and only available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)	0.00 lbs	0.00 lbs	Inc.	Inc.
DWI	Mirrors, outside power-adjustable vertical trailering with heated and auto-dimming upper glass lower convex mirrors, turn signal indicators, puddle lamps, perimeter lighting, auxiliary lighting, power folding/manual extending (extends 3.31" [84.25mm]) (Requires (PCV) WT Convenience Package or (ZLQ) WT Fleet Convenience Package. Includes (DD8) auto-dimming rearview mirror. (DD8) auto-dimming mirror will be upgraded to (DRZ) Rear Camera Mirror or (DRC) Partial video display rearview mirror when (UVO) Bed View Camera is ordered.)	0.00 lbs	0.00 lbs		
QT5	Tailgate, gate function manual with EZ Lift includes power lock and release (Included and only available with (PCV) WT Convenience Package or (ZLQ) WT Fleet Convenience Package.	0.00 lbs	0.00 lbs	Inc.	Inc.
U01	Lamps, Smoked Amber roof marker, (LED) (Included with (ANQ) Alaskan Snow Plow Special Edition. Standard with dual rear wheels. Not available with (YF5) California state emissions requirements on single rear wheels.)	0.00 lbs	0.00 lbs	Inc.	Inc.
V46	Bumper, front chrome (Requires (VJH) Chrome rear bumper with (E63) Durabed, pickup bed. Available with (ZW9) pickup bed delete.)	0.00 lbs	0.00 lbs		
VJH	Bumper, rear chrome (Requires (V46) Chrome front bumper. Included with (PQA) WT Safety Package.)	0.00 lbs	0.00 lbs	(1997)	
VK3	License plate kit, front (will be shipped to orders with ship -to states that require front license plate)	0.00 lbs	0.00 lbs		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 25525. Data Updated: May 22, 2025 6:44:00 PM PDT.



ADDITIONAL EQUIPMENT - INTERIOR

ADI	THOUAL EGO!	FINE IN FINITE MOR				
	CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	MSRP
	9L7	Upfitter switch kit, (5) Provides 3-30 amp and 2-20 amp configurable circuits to facilitate installation of aftermarket electrical accessories. Kit with all required parts will be shipped loose with the truck for installation by the dealer or upfitter at customer expense. Installation instructions and technical assistance available at www.gmupfitter.com.	0.00 lbs	0.00 lbs		
	A2X	Seat adjuster, driver 10-way power including lumbar (Requires a Fleet or Government Sales order. Requires (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package, (H0U) Jet Black interior and (Kl4) 120-volt power outlet.)	0.00 lbs	0.00 lbs		
	C49	Defogger, rear-window electric (Included with (PCV) WT Convenience Package.)	0.00 lbs	0.00 l bs	Inc.	Inc.
	DD8	Mirror, inside rearview auto-dimming (Included and only available with (DWI) trailer mirrors.	0.00 lbs	0.00 lbs	Inc.	Inc.
	KC9	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) interior power outlet) (Included and only available with (KI4) Power outlet. Not available with (ZW9) pickup bed delete.)	0.00 lbs	0.00 lbs	Inc.	Inc.
	K14	Power outlet, interior, 120-volt (400 watts shared with (KC9) bed mounted power outlet) (Requires (PCV) WT Convenience Package or (ZLQ) WT Fleet Convenience Package.)	0.00 lbs	0.00 lbs		
ADI	DITIONAL EQUI	PMENT - SAFETY-INTERIOR				
	CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	MSRP
	UJM	Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire) (Standard on dual rear wheel models only.)	0.00 lbs	0.00 lbs	Inc.	Inc.
SECULIA DE PARA ALAS PARA PARA PARA PARA PARA PARA PARA PA		Options Total	0.00 lbs	0.00 lbs		

May 23, 2025

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 25525. Data Updated: May 22, 2025 6:44:00 PM PDT.



Standard Equipment

Package

Trailering Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance (Deleted when (ZW9) pickup bed delete is ordered.)

Mechanical

Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline (401 hp [299 kW] @ 5200 rpm, 464 lb-ft of torque [629 N-m] @ 4000 rpm) (STD)

Transmission, Allison 10-speed automatic (STD) (Standard with (L8T) 6.6L V8 gas engine.)

Rear axle, 3.73 ratio (STD) (Requires (L8T) 6:6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)

Durabed, pickup bed (STD)

GVWR, 11,300 lbs. (5126 kg) with single rear wheels (STD) (Included and only available with CC30953 model and CK30903 models with (L8T) 6.6L V8 gas engine with 18" or 20" wheels. Requires single rear wheels.)

Push Button Start

Air filter, heavy-duty

Air filtration monitoring

Transfer case, two-speed electronic shift with push button controls (Requires 4WD models.)

Auto-locking rear differential

Four wheel drive

Cooling, external engine oil cooler

Cooling, auxiliary external transmission oil cooler

Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (included and only available with (L8T) 6.6L V8 gas engine.)

Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)

Trailer brake controller, integrated

Recovery hooks, front, frame-mounted, Black

Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section

Suspension Package

Steering, Recirculating ball with smart flow power steering system

Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors

Brake lining wear indicator

Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)

Exhaust, single, side

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Exterior

Wheels, 18" (45.7 cm) painted steel (STD) (Requires single rear wheels.)

Tires, LT275/70R18E all-terrain, blackwall (STD) (Requires single rear wheels.)

Tire, spare LT275/70R18 all-terrain, blackwall (STD) (Included and only available with (QF6) LT275/70R18E all-terrain, blackwall tires with (E63) Durabed, pickup bed single rear wheel models. Available to order when (ZW9) pickup bed delete and (QF6) LT275/70R18E all-terrain, blackwall tires are ordered with single rear wheel models. Not available with dual rear wheels.)

Single Rear Wheels (STD)

Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)

Bumpers, front, Black

Bumpers, rear, Black

BedStep, Black integrated on forward portion of bed on driver and passenger side (Deleted when (ZW9) pickup bed delete is ordered.)

CornerStep, rear bumper

Moldings, beltline, Black

Cargo tie downs (12), fixed, rated at 500 lbs per corner (Deleted with (ZW9) pickup bed delete.)

Headlamps, halogen reflector with halogen Daytime Running Lamps

IntelliBeam, automatic high beam on/off

Taillamps, with incandescent tail, stop and reverse lights (Note: Trucks equipped with dual rear wheels will feature LED signature tail and stop lamps, with incandescent reverse lamp.)

Lamps, cargo area cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel

Mirrors, outside power-adjustable vertical trailering with heated upper glass lower convex mirrors, integrated turn signals, manual folding/extending (extends 3.31" [84.25mm]) (Standard on Regular Cab models. Not available with (PCV) WT Convenience Package on Regular Cab. Included and only available with (PCV) WT Convenience Package on Double and Crew Cab models.)

Mirror caps, Black

Glass, solar absorbing, tinted

Door handles, Black grained

Tailgate, standard (Deleted with (ZW9) pickup bed delete.)

Tailgate and bed rail protection cap, top

Tailgate, locking, utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (PCV) WT Convenience Package or (ZLQ) WT Fleet Convenience Package is ordered. Not available with (ZW9) pickup bed delete.)

Tailgate, gate function manual, no EZ Lift (Deleted with (ZW9) pickup bed delete.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Entertainment

Audio system, Chevrolet Infotainment 3 system, 7" diagonal HD color touchscreen, AM/FM stereo Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)

Audio system feature, 2-speakers (Requires Regular Cab model.)

Bluetooth for phone connectivity to vehicle infotainment system

Wireless Phone Projection for Apple CarPlay and Android Auto

Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.com or dealer for details.)

Interior

Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)

Seat trim, Vinyl

Seat adjuster, driver 4-way manual

Seat adjuster, passenger 4-way manual

Floor covering, rubberized-vinyl (Not available with LPO floor liners.)

Steering wheel, urethane

Steering column, Tilt-Wheel, manual with wheel locking security feature

Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure

Driver Information Center, 3.5" diagonal monochromatic display

Exterior Temperature Display located in radio display

Compass, located in instrument cluster

Window, power front, drivers express up/down

Window, power front, passenger express down

Door locks, power

Remote Keyless Entry with 2 transmitters

Cruise control, electronic with set and resume speed, steering wheel-mounted

Power outlet, front auxiliary, 12-volt

USB Ports, 2, Charge/Data ports located on instrument panel

Air conditioning, single-zone

Mirror, inside rearview, manual tilt

Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted

Chevrolet Connected Access capable (Subject to terms. See onstar.com or dealer for details.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Safety-Mechanical

Automatic Emergency Braking

Front Pedestrian Braking

StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist

Safety-Exterior

Daytime Running Lamps with automatic exterior lamp control

Safety-Interior

Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

OnStar Services capable (See onstar.com for details and limitations. Services vary by model. Service plan required.)

OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with core OnStar services including remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (OnStar Basics includes remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. For MY25 vehicles, OnStar Basics is standard for 8 years; OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations.)

HD Rear Vision Camera (Deleted when (ZW9) pickup bed delete is ordered.)

Hitch Guidance dynamic single line to aid in trailer alignment for hitching (Deleted with (ZW9) pickup bed delete.)

Lane Departure Warning

Following Distance Indicator

Forward Collision Alert

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu

Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire) (Not included on dual rear wheel models.)

Processing-Other

Trailering Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering (Not available with (ZW9) pickup bed delete.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



WARRANTY

Warranty Note: <<< Preliminary 2025 Warranty >>>

Basic Years: 3

Basic Miles/km: 36,000 Drivetrain Years: 5

Drivetrain Miles/km: 60,000

Drivetrain Note: 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government, and

qualified fleet vehicles: 5 years/100,000 miles

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 100,000

Corrosion Miles/km: 36,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 60,000

Roadside Assistance Note: 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government,

and qualified fleet vehicles: 5 years/100,000 miles Maintenance Note: First Visit: 12 Months/12,000 Miles

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 25525. Data Updated: May 22, 2025 6:44:00 PM PDT.

Knapheide Gooseneck Flatbed 25-Chevy 3500 56 "CA DRW

KNAPGTC-89-G

Knapheide Steel PGTC Gooseneck Body

Installed LED marker lights and license plate light

Installed LED Knapheide S/T/T and B/U lights with integrated strobes

Installed oval LED S/T/T and B/U lights in the bulkhead

Installed 6-circuit wire harness

Installed 7-way trailer plug in the rear skirt

Installed aluminum treadplate rock guards, 10" wide x 22" tall on each front end panel

Chassis specific long sills for GM 56" CA

Floor cargo area is 54" wide

Slam tailgate

B&W Turnover ball gooseneck hitch with 2-5/16" ball included. Hitch rated at 30,000 lbs maximum trailer weight, 7,500 lbs maximum tongue weight



Steel Gooseneck Bodies - GM (1)

KNA35154108

KNAPHEIDE 16K HITCH FOR PGTC

DRG322430R MUD FLAP 30" W/LOGO

BUYMFW2375 PLATE,BOLTING (SPLASH GUARD)PR

JTPU7W18MF

Extension Harness

CUR55415 **7 Way Harness**

FLATBED MOUNTED ON PICKUP BOX CHASSIS (FLATBED DELETE)-Installation

BUYRTA2520 / BUYHP6256WC 2-1/2 INCH TO 2 INCH RECEIVER TUBE ADAPTER WITH LANCE STOP and Pin



MIDMXT500
MIDLAND MXT RADIO

299 INSTALL RADIO

RDS72367PC
RDS 95 GALLON L TANK WITH TOOLBOX



249 FUEL TANK- Installation

Shop Supplies

GM Fast Flash - Sublet

207 PICKUP TRUCK BOX REMOVAL

Takeoff Box
GM Dually Take off Box Credit

BOSS 9'2 Stainless Steel XT Plow

705 SNOWPLOW V PLOW (BOSS OR HINIKER)- Installation

210002- Quality Control Inspection QCI

WHERILPPCA
Whelen LED 17" Mini Bar- Installed on Cab Shield

RESPONDER LED PERM/LIGHT LO 221 HR

Pic shown in Amber Lens (Light Will be Clear Lens / Amber Light)



BUY8892230 KIT LED 4 Corner Strobe Kit- 2 Body, 2 Grill Mount

LO262- 3HR

